KETOGENIC DIET

CLINICAL EVIDENCE ON WEIGHT LOSS | 2019



TABLE OF CONTENTS

THE CLINICAL EVIDENCE ON THE KETOGENIC DIET FOR WEIGHT LOSS | 2019



| STATEMENT OF PURPOSE | 3 |
|---|---|
| MEDICAL DISCLAIMER | 4 |
| INTRODUCTION | 5 |
| HOW CAN WE FIGURE OUT WHETHER THE KETO DIET IS BETTER THAN A CONTROL? | 5 |
| WHAT DO RCTS SAY ABOUT THE KETOGENIC DIET FOR WEIGHT LOSS? | 6 |
| WHY DOES THE KETOGENIC DIET WORK FOR WEIGHT LOSS? | 7 |
| INSULIN | 7 |
| HUNGER | 7 |
| ADHERENCE | 7 |
| CONCLUSION | 7 |
| REFERENCES | 9 |



STATEMENT OF PURPOSE

The Ketogenic diet is well established in medicine as an intervention that effectively controls epileptic seizures in children. However, their popularity for weight loss has skyrocketed in the past few years.

A Google Trends search from the years 2004 to 2019 clearly shows the increased interest in the diets. However, the question remains, does the ketogenic diet allow people to lose weight, or is it simply another fad diet?

In this ketogenic diet research review, we examine the clinical evidence regarding the ketogenic diet and fat loss.

Enjoy.

Karen Pendergrass

Karen Pendergrass Paleo Foundation CEO

MEDICAL DISCLAIMER

This document is provided by Paleo Foundation, Inc. for educational purposes only. The opinions, findings, conclusions, and recommendations expressed in this document are not intended to diagnose, treat, cure, or prevent any disease.

Information in this Ketogenic Diet Research Review of the clincal evidence on weight loss does not constitute medical advice. Please consult a medical or health professional before you begin any exercise, nutrition, or diet-related program, or if you have questions about your health.

Recommended Citation:

Pendergrass K.E.E., Chow, Z.R.,(2019). The Clinical Evidence on the Ketogenic Diet for Weight Loss. Encinitas, CA: Paleo Foundation.

PALEO FOUNDATION RESEARCH REVIEW

The Clinical Evidence on the Ketogenic Diet for Weight Loss

Karen E. E. Pendergrass 1 | Zad R. Chow 2

²Department of Population Health, NYU Langone, New York, NY

Correspondence

Karen E. E. Pendergrass Department of Standards, Paleo Foundation, Encinitas, CA

Contact

¹ Email: karen@paleofoundation.com

¹ Twitter: @5WordsorlessKP

²Email: zad@lesslikely.com ²Twitter: @DailyZad

Abstract

The Ketogenic diet is well established in medicine as an intervention that effectively controls epileptic seizures in children. However, their popularity for weight loss has skyrocketed in the past few years. A Google Trends search from the years 2004 to 2019 clearly shows the increased interest in ketogenic diets. However, the question remains, does the ketogenic diet allow people to experience fat loss and lose weight, or is it simply another fad diet? In this ketogenic diet research review, we examine the clinical evidence regarding the ketogenic diet and fat loss.

KEYWORDS

Randomized Controlled Trials (RCTs), Statistical Significance, Insulin, Adherence

1 | INTRODUCTION

he Ketogenic diet is well established in medicine as interventions that effectively control epileptic seizures in children.

However, their popularity for weight loss has skyrocketed in the past few years. A Google Trends search from the years 2004 to 2019 clearly shows the increased interest in the diets. However, the question remains, does the ketogenic diet allow people to lose weight, or is it simply another fad diet?

HOW CAN WE FIGURE OUT WHETHER THE KETO DIET IS BETTER THAN A CONTROL?

In research, one of the best ways to assess the efficacy of an intervention (such as a diet) is with a randomized controlled clinical trial (RCT). This is because the participants nor the trialists cannot control who gets what diet. This reduces selection bias, and also aims to reduce the concentration of a particular characteristic in one group. [1, 2]

For example, if all the participants with a hypothetical gene that allows them to perfectly adhere to weight loss diets all get put into the ketogenic diet group, then they are going to lose more weight than the control group, with few to no folks with this gene.

This will make it seem like the ketogenic diet was superior for weight loss since everyone in that group lost weight, but in reality, it was the higher concentration of folks with this adherence gene.

Complex randomization methods used by clinical trialists help to reduce the impact of this problem so that the participants in both groups can be reasonably

¹ Department of Standards, Paleo Foundation, Encinitas, CA

comparable and so that all the associated character-istics of the recruited participants are distributed randomly. [3]

A search of MEDLINE (the database run by the National Library of Medicine, which indexes articles from scientific journals) shows that the number of randomized trials done on the ketogenic diet for weight loss has also increased over time. [Figure 1]




Figure 1. Increased number of randomized trials done on the ketogenic diet for weight loss over time.

2 | WHAT DO RCTS SAY ABOUT THE KETOGENIC DIET FOR FAT LOSS?

It's important to point out that differences in weight loss do not distinguish differences in lean mass and fat loss. This is worth noting since carbohydrate restriction depletes glycogen stores (part of lean mass), which results in weight being lost, but not necessarily fat. [4]

Thus, it is critical to also look at the differences in fat mass which are often measured by various other methods such as DXA scans.

Another common limitation in weight loss research is not matching for energy or protein. For example, if participants in the ketogenic diet group ate substantially fewer calories for some specific reason, and this isn't taken into account, then it will be difficult to conclude that the ketogenic diet exerted a unique metabolic effect that drove fat loss when reduced caloric intake was the true driver. Thus, matching for calories and other characteristics of an intervention, such as protein content, is vital to interpreting the utility of the findings.

Brehm and colleagues found in two trials, one done in 2003 and another in 2005, that when matched for calories, the ketogenic diet still resulted in more fat loss than the control groups, so it is possible that there may be a metabolic advantage to going on a ketogenic diet. [5, 6]

Another trial by Brinkworth and colleagues that also matched for calories found that the ketogenic diet group experienced more fat loss than the control group. [7] Though it's worth taking into account that these studies were also done on an obese population and did not match for protein content.

However, the evidence on the superiority of the ketogenic diet for fat loss when matched for calories is mixed, since some studies have also failed to show a statistically significant difference in fat loss. [8–10]

In four trials that matched for protein intake and caloric intake between groups, there were no statistically significant differences in fat loss, thus any unique advantages attributable to the diet may be mediated by protein content, however, it is also possible that the lack of significant differences may also be a result of the low sample size. [11–14]

3 | WHY DOES THE KETOGENIC DIET WORK FOR WEIGHT LOSS?

INSULIN

There are several debated mechanisms as to why diets that restrict carbohydrates result in weight loss, and many proponents of the carbohydrate-restricting diets argue that the primary benefits of such diets are metabolic advantages that are a result of reducing in insulin, which they believe to be the primary hormonal driver of fat storage. [15]

Many of these hypotheses are controversial, and studies that have investigated some of these mechanisms have shown mixed results, with the most recent support for the hypothesis coming from a Mendelian randomization study. [16]

HUNGER

Several trials report that participants feel less hungry and more satiated on the ketogenic diet. This may be due to the increased protein content in the diet, since protein is known to be one of the most satiating macronutrients. [17, 18]

However, many ketogenic diets that are also low in protein still result in a satiating effect. [19] So, while protein could contribute to a satiating effect, it does not seem to be responsible for all the satiating effects of the diet.

One systematic review hypothesized that the increased satiety was a result of increased levels of ketone bodies in the blood, and one article hypothesized that ketone bodies can change the structure of various hormones involved in the regulation of hunger. [20]

The satiating effects of the ketogenic diet could be driving the main advantages of the diet, which lead to lower caloric intake and thus, more fat loss.

ADHERENCE

It's well known that most diets have poor adherence rates, making it difficult to sustain and maintain weight loss over a long period of time, despite seeing benefits initially.

With regards to the ketogenic diet, adherence rates from individual studies do not seem to suggest that there is much of a difference between dropout rates in the keto group and the control group, however, this may need to be investigated in a formal quantitative review like a meta-analysis or systematic review.

An informal meta-analysis by Sci-Fit found that there was no large difference in the odds of dropping out in the ketogenic diet and the control group. [Figure 2]

4 | CONCLUSION

Thus, the clinical research for the ketogenic diet and fat loss is incredibly promising and this may be due to the satiating effects of the diet, the adherence rates, and a possible metabolic advantage that still need to be explored in larger studies where caloric and protein content are matched.




Figure 2. Odds of dropping out in the ketogenic diet and the control group.

5 | REFERENCES

- 1. Kempthorne O. Why randomize? J Stat Plan Inference. 1977;1(1):1–25.
- 2. Greenland S. Randomization, statistics, and causal inference. Epidemiology. 1990;1(6):421–429.
- 3. Zhao W, Berger V. Imbalance control in clinical trial subject randomization-from philosophy to strategy. J Clin Epidemiol. 2018;101:116–118.
- 4. Murray B, Rosenbloom C. Fundamentals of glycogen metabolism for coaches and athletes. Nutr Rev. 2018;76(4): 243-259. doi:10.1093/nutrit/nuy001
- 5. Brehm BJ, Seeley RJ, Daniels SR, D'Alessio DA. A Randomized Trial Comparing a Very Low Carbohydrate Diet and a Calorie-Restricted Low Fat Diet on Body Weight and Cardiovascular Risk Factors in Healthy Women. J Clin Endocrinol Metab. 2003;88(4):1617-1623. doi:10.1210/jc. 2002-021480
- 6. Brehm BJ, Spang SE, Lattin BL, Seeley RJ, Daniels SR, D'Alessio DA. The Role of Energy Expenditure in the Differential Weight Loss in Obese Women on Low-Fat and Low-Carbohydrate Diets. J Clin Endocrinol Metab. 2005;90(3):1475-1482. doi:10.1210/jc.2004-1540
- 7. Brinkworth GD, Noakes M, Clifton PM, Buckley JD. Effects of a Low Carbohydrate Weight Loss Diet on Exercise Capacity and Tolerance in Obese Subjects. Obesity. 2009;17(10):1916-1923. doi:10.1038/oby.2009.134
- 8. Meckling KA, O'Sullivan C, Saari D. Comparison of a Low-Fat Diet to a Low-Carbohydrate Diet on Weight Loss, Body Composition, and Risk Factors for Diabetes and Cardiovascular Disease in Free-Living, Overweight Men and Women. J Clin Endocrinol Metab. 2004;89(6):2717-2723. doi:10.1210/jc.2003-031606

- 9. Ruth MR, Port AM, Shah M, et al. Consuming a hypocaloric high fat low carbohydrate diet for 12 weeks lowers C-reactive protein, and raises serum adiponectin and high density lipoprotein-cholesterol in obese subjects. Metabolism. 2013;62(12). doi: 10.1016/j.metabol.2013.07.006
- 10. Noakes M, Foster PR, Keogh JB, James AP, Mamo JC, Clifton PM. Comparison of isocaloric very low carbohydrate/high saturated fat and high carbohydrate/low saturated fat diets on body composition and cardiovascular risk. Nutr Metab. 2006;3(1):7. doi:10.1186/1743-7075-3-7
- 11. Johnston CS, Tjonn SL, Swan PD, White A, Hutchins H, Sears B. Ketogenic low-carbohydrate diets have no metabolic advantage over nonketogenic low-carbohydrate diets. Am J Clin Nutr. 2006;83(5):1055-1061. doi:10.1093/ajcn/83.5.1055
- 12. Johnstone AM, Horgan GW, Murison SD, Bremner DM, Lobley GE. Effects of a high-protein ketogenic diet on hunger, appetite, and weight loss in obese men feeding ad libitum. Am J Clin Nutr. 2008;87(1): 44-55. doi:10.1093/ajcn/87.1.44
- 13. Veum VL, Laupsa-Borge J, Eng Ø, et al. Visceral adiposity and metabolic syndrome after very high–fat and low-fat isocaloric diets: a randomized controlled trial. Am J Clin Nutr. 2017;105(1):85-99. doi:10.3945/ajcn.115.123463
- 14. Greenland S. Nonsignificance plus high power does not imply support for the null over the alternative. Ann Epidemiol. 2012;22(5):364–368.
- 15. Ludwig DS, Ebbeling CB. The Carbohydrate-Insulin Model of Obesity: Beyond "Calories In, Calories Out." JAMA Intern Med. 2018;178(8): 1098-1103. doi:10.1001/jamainternmed.2018.2933

- 16. Astley CM, Todd JN, Salem RM, et al. Genetic Evidence That Carbohydrate-Stimulated Insulin Secretion Leads to Obesity. Clin Chem. 2018;64(1):192-200. doi: 10.1373/clinchem.2017.280727
- 17. Chambers L, McCrickerd K, Yeomans MR. Optimising foods for satiety. Trends Food Sci Technol. 2015;41(2): 149-160. doi:10.1016/j.tifs.2014.10.007
- 18. Carreiro AL, Dhillon J, Gordon S, et al. The macronutrients, appetite and energy intake. Annu Rev Nutr. 2016;36:73-103. doi:10.1146/annurev-nutr-121415-112624
- 19. Aragon AA, Schoenfeld BJ, Wildman R, et al. International society of sports nutrition position stand: diets and body composition. J Int Soc Sports Nutr. 2017;14(1):16. doi:10.1186/s12970-017-0174-y
- 20. Gibson AA, Seimon RV, Lee CMY, et al. Do ketogenic diets really suppress appetite? A systematic review and meta-analysis. Obes Rev Off J Int Assoc Study Obes. 2015;16(1):64-76. doi:10.1111/obr.12230

The Clinical Evidence on the Ketogenic Diet for Weight Loss: The Paleo Foundation (2019)

By: Karen E.E. Pendergrass, Zad R. Chow

This work is licensed under a <u>Creative</u> Commons Attribution 4.0 International License.





